

L Number	Hits	Search Text	DB	Time stamp
1	3543	711/4.ccls. or 711/110-112.ccls. or 711/154.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 10:06
2	1956	710/52-53.ccls. or 710/56-57.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 11:11
3	959	360/18.ccls. or 360/72.2.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 10:07
4	15448	(buffer or fifo or queue) with address with register	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 10:11
5	2130	(disk or disc or dasd or (storage near2 (unit or device))) same ((out near5 (order or sequence or sequential)) with (writ\$3 or stor\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 14:40
6	252	((plurality or multiple or several or two or second) near5 address near3 register) same (writ\$3 or stor\$3) same (disk or disc or dasd or (storage near2 (unit or device)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 14:39
7	3	((buffer or fifo or queue) with address with register) and ((disk or disc or dasd or (storage near2 (unit or device))) same ((out near5 (order or sequence or sequential)) with (writ\$3 or stor\$3))) and (((plurality or multiple or several or two or second) near5 address near3 register) same (writ\$3 or stor\$3) same (disk or disc or dasd or (storage near2 (unit or device))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 10:15
8	3100	710/5-7.ccls. or 710/52-57.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 10:33
9	515	((re adj2 oder\$3) or reorder\$3 or (out adj2 order\$3)) with (command or operation or instruction)) same(disk or disc or dasd or (storage near2 (unit or device)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 10:35
10	56	((re adj2 oder\$3) or reorder\$3 or (out adj2 order\$3)) with (command or operation or instruction)) same(disk or disc or dasd or (storage near2 (unit or device)))) and (711/4.ccls. or 711/110-112.ccls. or 711/154.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 11:04
11	46	((re adj2 oder\$3) or reorder\$3 or (out adj2 order\$3)) with (command)) same track) and (@ad<=20000822 or @rlad<=20000822)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 13:48
12	11	((re adj2 oder\$3) or reorder\$3 or (out adj2 order\$3)) with (command or operation or instruction)) same(disk or disc or dasd or (storage near2 (unit or device)))) and (711/4.ccls. or 711/110-112.ccls. or 711/154.ccls.) and (((re adj2 oder\$3) or reorder\$3 or (out adj2 order\$3)) with (command)) same track) and (@ad<=20000822 or @rlad<=20000822))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 11:05

13	1	(((((re adj2 oder\$3) or reorder\$3 or (out adj2 order\$3)) with (command or operation or instruction)) same(disk or disc or dasd or (storage near2 (unit or device)))) and (360/18.ccls. or 360/72.2.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 11:03
14	1	(((((re adj2 oder\$3) or reorder\$3 or (out adj2 order\$3)) with (command or operation or instruction)) same(disk or disc or dasd or (storage near2 (unit or device)))) and (711/4.ccls. or 711/110-112.ccls. or 711/154.ccls.)) and (((((re adj2 oder\$3) or reorder\$3 or (out adj2 order\$3)) with (command or operation or instruction)) same(disk or disc or dasd or (storage near2 (unit or device)))) and (360/18.ccls. or 360/72.2.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 11:03
15	2900	710/52-53.ccls. or 710/56-57.ccls. or 710/5.ccls. or 710/39.ccls. or 710/43.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 14:35
16	35	(((((re adj2 oder\$3) or reorder\$3 or (out adj2 order\$3)) with (command or operation or instruction)) same(disk or disc or dasd or (storage near2 (unit or device)))) and (710/52-53.ccls. or 710/56-57.ccls. or 710/5.ccls. or 710/39.ccls. or 710/43.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 11:04
17	1	(((((re adj2 oder\$3) or reorder\$3 or (out adj2 order\$3)) with (command or operation or instruction)) same(disk or disc or dasd or (storage near2 (unit or device)))) and (360/18.ccls. or 360/72.2.ccls.)) and (((((re adj2 oder\$3) or reorder\$3 or (out adj2 order\$3)) with (command)) same track) and (@ad<=20000822 or @rlad<=20000822))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 11:05
18	11	(((((re adj2 oder\$3) or reorder\$3 or (out adj2 order\$3)) with (command or operation or instruction)) same(disk or disc or dasd or (storage near2 (unit or device)))) and (710/52-53.ccls. or 710/56-57.ccls. or 710/5.ccls. or 710/39.ccls. or 710/43.ccls.)) and (((((re adj2 oder\$3) or reorder\$3 or (out adj2 order\$3)) with (command)) same track) and (@ad<=20000822 or @rlad<=20000822))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 11:07
19	146	krantz-arie\$.in. or nguyen-kha\$.in. or elkins-gregory\$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 11:08
21	0	(krantz-arie\$.in. or nguyen-kha\$.in. or elkins-gregory\$.in.) and (((((re adj2 oder\$3) or reorder\$3 or (out adj2 order\$3)) with (command)) same track) and (@ad<=20000822 or @rlad<=20000822))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 11:09
22	1	(krantz-arie\$.in. or nguyen-kha\$.in. or elkins-gregory\$.in.) and (((((re adj2 oder\$3) or reorder\$3 or (out adj2 order\$3)) with (command or operation or instruction)) same(disk or disc or dasd or (storage near2 (unit or device))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 11:09
23	2	6470461.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 13:50

25	0	6272565.pn. and ((buffer or fifo or queue) with address with register)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 13:44
26	3	(((((re adj2 oder\$3) or reorder\$3 or (out adj2 order\$3)) with (command)) same track) same address	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 13:48
27	178	(((((re adj2 oder\$3) or reorder\$3 or (out adj2 order\$3)) with (command)) same address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 14:40
28	7133	(711/4.ccls. or 711/110-112.ccls. or 711/154.ccls.) or (710/52-53.ccls. or 710/56-57.ccls. or 710/5.ccls. or 710/39.ccls. or 710/43.ccls.) or (360/18.ccls. or 360/72.2.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 13:48
29	29	(((((re adj2 oder\$3) or reorder\$3 or (out adj2 order\$3)) with (command)) same address)) and ((711/4.ccls. or 711/110-112.ccls. or 711/154.ccls.) or (710/52-53.ccls. or 710/56-57.ccls. or 710/5.ccls. or 710/39.ccls. or 710/43.ccls.) or (360/18.ccls. or 360/72.2.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 13:48
30	23	(((((re adj2 oder\$3) or reorder\$3 or (out adj2 order\$3)) with (command)) same address)) and ((711/4.ccls. or 711/110-112.ccls. or 711/154.ccls.) or (710/52-53.ccls. or 710/56-57.ccls. or 710/5.ccls. or 710/39.ccls. or 710/43.ccls.) or (360/18.ccls. or 360/72.2.ccls.))) and (@ad<=20000822 or @rlad<=20000822)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 14:37
31	1	((disk or disc or dasd or (storage near2 (unit or device))) same ((out near5 (order or sequence or sequential)) with (writ\$3 or stor\$3))) and ((((((re adj2 oder\$3) or reorder\$3 or (out adj2 order\$3)) with (command)) same address)) and ((711/4.ccls. or 711/110-112.ccls. or 711/154.ccls.) or (710/52-53.ccls. or 710/56-57.ccls. or 710/5.ccls. or 710/39.ccls. or 710/43.ccls.) or (360/18.ccls. or 360/72.2.ccls.))) and (@ad<=20000822 or @rlad<=20000822))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 13:49
37	309	369/30.23.ccls. or 369/47.30.ccls. or 369/47.33-47.34.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 14:28
38	1	(369/30.23.ccls. or 369/47.30.ccls. or 369/47.33-47.34.ccls.) and (((re adj2 oder\$3) or reorder\$3 or (out adj2 order\$3)) with (command or operation or instruction)) same(disk or disc or dasd or (storage near2 (unit or device))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 14:36
39	3266	710/52-57.ccls. or 710/5-7.ccls. or 710/39.ccls. or 710/43.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 14:36
40	0	(369/30.23.ccls. or 369/47.30.ccls. or 369/47.33-47.34.ccls.) and (((re adj2 oder\$3) or reorder\$3 or (out adj2 order\$3)) with (command)) same address))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 14:36

41	23	{710/52-57.ccls. or 710/5-7.ccls. or 710/39.ccls. or 710/43.ccls. } and (((((re adj2 oder\$3) or reorder\$3 or (out adj2 order\$3)) with (command)) same address))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 14:37
42	18	((710/52-57.ccls. or 710/5-7.ccls. or 710/39.ccls. or 710/43.ccls.) and (((((re adj2 oder\$3) or reorder\$3 or (out adj2 order\$3)) with (command)) same address))) and (@ad<=20000822 or @rlad<=20000822)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 14:37
43	0	((disk or disc or dasd or (storage near2 (unit or device))) same ((out near5 (order or sequence or sequential)) with (writ\$3 or stor\$3))) and (((710/52-57.ccls. or 710/5-7.ccls. or 710/39.ccls. or 710/43.ccls.) and (((((re adj2 oder\$3) or reorder\$3 or (out adj2 order\$3)) with (command)) same address))) and (@ad<=20000822 or @rlad<=20000822))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 14:38
44	0	((710/52-57.ccls. or 710/5-7.ccls. or 710/39.ccls. or 710/43.ccls.) and (((((re adj2 oder\$3) or reorder\$3 or (out adj2 order\$3)) with (command)) same address))) and (@ad<=20000822 or @rlad<=20000822)) and (((plurality or multiple or several or two or second) near5 address near3 register) same (writ\$3 or stor\$3) same (disk or disc or dasd or (storage near2 (unit or device))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 14:39
45	7161	(disk or disc or dasd or (storage near2 (unit or device))) same ((out near5 (order or sequence or sequential)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 14:40
46	1495796	(disk or disc or dasd or (storage near2 (unit or device)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 14:41
47	10	((710/52-57.ccls. or 710/5-7.ccls. or 710/39.ccls. or 710/43.ccls.) and (((((re adj2 oder\$3) or reorder\$3 or (out adj2 order\$3)) with (command)) same address))) and (@ad<=20000822 or @rlad<=20000822)) and ((disk or disc or dasd or (storage near2 (unit or device)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 14:41